Annals of Mathematics, 132 (1990), 629–667

INDEX

SECOND SERIES VOLUMES 103–132

(1976–1990)

PREPARED BY

KATHARINE S. CARTER AND ELEANOR MAY

Abikoff, W.
Degenerating families of Riemann surfaces, **105** (1977), 29–44.

Adams, D. R.
A sharp inequality of J. Moser for higher order derivatives, **128** (1988), 385–398.

Adams, J. F. and Wilkerson, C. W.
Finite *H*-spaces and algebras over the Steenrod algebra, **111** (1980), 95–143.
Correction, **113** (1981), 621–622.

Adelman, L. M., Pomerance, C., Rumely, R. S.
On distinguishing prime numbers from composite numbers, **117** (1983), 173–206.

Adolphson, A. and Sperber, S.
On the classification of constant mean curvature tori, **130** (1989), 367–406.

Agler, A.
Rational dilation on an annulus, **121** (1985), 537–563.

Aizenman, M.
On vector fields as generators of flows: A counterexample to Nelson's conjecture, **107** (1978), 287–296.

Akbulut, S. and King, H. C.
The topology of real algebraic sets with isolated singularities, **113** (1981), 425–446.

Alinhac, S.
Non-unicité du problème de Cauchy pour des opérateurs de type principal, **117** (1983), 77–108.

Allard, W. K. and Almgren, F. J., Jr.
On the radial behavior of minimal surfaces and the uniqueness of their tangent cones, **113** (1981), 215–265.

Almgren, F. J., Jr.
See Allard and Almgren.

Almgren, F. J., Jr. and Lieb, E. H.
Singularities of energy minimizing maps from the ball to the sphere: Examples, counterexamples, and bounds, **129** (1988), 483–530.

Almgren, F. J., Jr. and Thurston, W. P.
Examples of unknotted curves which bound only surfaces of high genus within their convex hulls, **105** (1977), 527–538.

Alperin, J. and Broué, M.
Local methods in block theory, **110** (1979), 143–157.

Ancel, F. D. and Cannon, J. W.
The locally flat approximation of cell-like embedding relations, **109** (1979), 61–86.

Ancona, A.
Negatively curved manifolds, elliptic operators, and the Martin boundary, **125** (1987), 495–536.

Andersen, H. H.
The Frobenius morphism on the cohomology of homogeneous vector bundles on G/B, **112** (1980), 113–121.

Anderson, D. R. and Hsiang, W.-c.
The functors K_{-i} and pseudo-isotopies of polyhedra, **105** (1977), 201–223.

Anderson, G. and Ihara, Y.
Pro-l branched coverings of $\mathbf{P}^l$ and higher circular l-units, **128** (1988), 271–293.

Anderson, G. W. and Thakur, D.
Tensor powers of the Carlitz module and zeta values, **132** (1990), 159–191.

Anderson, I. M.
Natural variational principles on Riemannian manifolds, **120** (1984), 329–370.

Anderson, J.
A C^*-algebra A for which Ext(A) is not a group, **107** (1978), 455–458.

Anderson, M. and Schoen, R.
Positive harmonic functions on complete manifolds of negative curvature, **121** (1985), 429–461.

Angenent, S.
Parabolic equations for curves on surfaces, Part I. Curves with p-integrable curvature, **132** (1990), 451–483.

Anh, N. H.
Lie groups with square-integrable representations, **104** (1976), 431–458.

Anick, D. J.
A counterexample to a conjecture of Serre, **115** (1982), 1–33.
A note on "A counterexample to a conjecture of Serre", **115** (1982), 661–663.
Diophantine equations, Hilbert series, and undecidable spaces, **122** (1985), 87–112.

Anker, J.-P.
$\mathbf{L}_p$ Fourier multipliers on Riemannian spaces of the noncompact type, **132** (1990), 597–628.

Arbarello, E. and De Concini, C.
On a set of equations characterizing Riemann matrices, **120** (1984), 119–140.

Arthur, J.
The trace formula in invariant form, **114** (1981), 1–74.

Aschbacher, M.
A characterization of Chevalley groups over fields of odd order, Parts I, II, **106** (1977), 353–468.
Correction, **111** (1980), 411–414.
The uniqueness case for finite groups, Parts I, II, **117** (1983), 383–551.

Aschbacher, M., Gorenstein, D., Lyons, R.
The embedding of 2-locals in finite groups of characteristic 2-type, Parts I, II, **114** (1981), 335–456.

Atiyah, M. F., Donnelly, H., Singer, I. M.
Eta invariants, signature defects of cusps, and values of L-functions, **118** (1983), 131–177.
Signature defects of cusps and values of L-functions: The nonsplit case, **119** (1984), 635–637.

Atzmon, A.
Boundary values of absolutely convergent Taylor series, **111** (1980), 231–237.
An operator without invariant subspaces on a nuclear Fréchet space, **117** (1983), 669–694.

Axler, S.
Factorization of L^∞ functions, **106** (1977), 567–572.

Axler, S., Berg, I. D., Jewell, N., Shields, A.
Approximation by compact operators and the space $H^\infty + C$, **109** (1979), 601–612.

Babai, I.
On the order of uniprimitive permutation groups, **113** (1981), 553–568.

Ballmann, W.
Nonpositively curved manifolds of higher rank, **122** (1985), 597–609.

Ballmann, W., Brin, M., Eberlein, P.
Structure of manifolds of nonpositive curvature, I, **122** (1985), 171–203.

Ballmann, W., Brin, M., Spatzier, R.
Structure of manifolds of nonpositive curvature, II, **122** (1985), 205–235.

Ballmann, W., Thorbergsson, G., Ziller, W.
Closed geodesics on positively curved manifolds, **116** (1982), 213–247.

Baouendi, M. S., Jacobowitz, H., Treves, F.
On the analyticity of CR mappings, **122** (1985), 365–400.

Baouendi, M. S. and Treves, F.
A property of the functions and distributions annihilated by a locally integrable system of complex vector fields, **113** (1981), 387–421.

Barbasch, D. and Vogan, D.
Unipotent representations of complex semisimple groups, **121** (1985), 41–110.

Barrett, D. E.
Irregularity of the Bergman projection on a smooth bounded domain in C^2, **119** (1984), 431–436.

Baum, L. E. and Sweet, M. M.
Continued fractions of algebraic power series in characteristic 2, **103** (1976), 593–610.
Badly approximable power series in characteristic 2, **105** (1977), 573–580.

Beals, M.
Self-spreading and strength of singularities for solutions to semilinear wave equations, **118** (1983), 187–214.

Beauville, A., Colliot-Thélène, J.-L., Sansuc, J.-J., Swinnerton-Dyer, P.
Variétés stablement rationnelles non rationnelle, **121** (1985), 283–318.

Becker, J., Henson, C. W., Rubel, L. A.
First order conformal invariants, **112** (1980), 123–178.

Bedford, E. and Fornæss, J. E.
A construction of peak functions on weakly pseudoconvex domains, **107** (1978), 555–568.

Bell, S. R.
Biholomorphic mappings and the ∂-problem, **114** (1981), 103–113.

Benard, M.
Schur indices and cyclic defect groups, **103** (1976), 283–304.

Benedicks, M. and Carleson, L.
On the iterations of $1 - ax^2$ on $(-1, 1)$, **122** (1985), 1–25.

Benkart, G. M. and Osborn, J. M.
Rank one Lie algebras, **119** (1984), 437–463.

Bennett, C., DeVore, R. A., Sharpley, R.
Weak-L^∞ and BMO, **113** (1981), 601–611.

Bercovici, H.
Factorization theorems and the structure of operators on Hilbert space, **128** (1988), 399–413.

Berg, I. D.
See Axler et al.

Beukers, F., Brownawell, W. D., Heckman, G.
Siegel normality, **127** (1988), 279–308.

Bezivin, J. P. and Robba, P.
A new p-adic method for proving irrationality and transcendence results, **129** (1989), 151–160.

Bierstone, E. and Milman, P. D.
Composite differentiable functions, **116** (1982), 541–558.

Bishop, C. J. and Jones, P. W.
Harmonic measure and arclength, **132** (1990), 511–547.

Blackadar, B.
Symmetries of the CAR algebra, **131** (1990), 411–491.

Blasius, D.
On the critical values of Hecke L-series, **124** (1986), 23–63.

Bloch, S.
Algebraic K-theory and classfield theory for arithmetic surfaces, **114** (1981), 229–265.
Correction, **126** (1987), 449.

Block, R. E. and Wilson, R. L.
The simple Lie p-algebras of rank two, **115** (1982), 93–168.

Bochnak, J. and Kucharz, W.
On real algebraic morphisms into even-dimensional spheres, **128** (1988), 415–433.

Böhme, R. and Tromba, A. J.
The index theorem for classical minimal surfaces, **113** (1981), 447–499.

Bonahon, F.
Bouts des variétés hyperboliques de dimension 3, **124** (1986), 71–158.

Bonatti, C.
Un point fixe commun pour des difféomorphismes commutants de S^2, **129** (1989), 61–69.

Boshernitzan, M.
Universal formulae and universal differential equations, **124** (1986), 273–291.

Bourgain, J., Rosenthal, H. P., Schechtman, G.
An ordinal L^p-index for Banach spaces, with applications to complemented subspaces of L^p, **114** (1981), 193–228.

Bowen, R.
Anosov foliations are hyperfinite, **106** (1977), 549–565.

Bowen, R. and Franks, J.
Homology for zero-dimensional nonwandering sets, **106** (1977), 73–92.

Bratteli, O., Elliott, G. A., Kishimoto, A.
The temperature state space of a C^*-dynamical system, II, **123** (1986), 205–263.

Brin, M.
See Ballman et al.

Brin, M. I., Feldman, J., Katok, A.
Bernoulli diffeomorphisms and group extensions of dynamical systems with non-zero characteristic exponents, **113** (1981), 159–179.

Brossard, J. et Chevalier, L.
Classe L Log L et densité de l'integrale d'aire dans R_+^{n+1}, **128** (1988), 603–618.

Broué, M.
Radical, hauteurs, p-sections et blocs, **107** (1978), 89–107.
See Alperin and Broué.

Brown, L. G., Douglas, R. G., Fillmore, P. A.
Extensions of C^*-algebras and K-homology, **105** (1977), 265–324.

Brown, S. W.
Hyponormal operators with thick spectra have invariant subspaces, **125** (1987), 93–103.

Brownawell, W. D.
Bounds for the degrees in the Nullstellensatz, **126** (1987), 577–591.
See Beukers et al.

Bruna, J., Nagel, A., Wainger, S.
Convex hypersurfaces and Fourier transforms, **127** (1988), 333–365.

Brunel, A. et Revuz, D.
Marches de Harris sur les groupes localement compacts, IV, **105** (1977), 361–396.

Bryant, R. L.
Metrics with exceptional holonomy, **126** (1987), 525–576.

Bump, D., Friedberg, S., Hoffstein, F.
Eisenstein series on the metaplectic group and nonvanishing theorems for automorphic L-functions and their derivatives, **131** (1990), 53–127.

Buoncristiano, S. and Hacon, D.
The geometry of Chern numbers, **118** (1983), 1–7.

Burghelea, D. and Lashof, R.
Stability of concordances and the suspension homomorphism, **105** (1977), 449–472.

Burns, D.
Curvatures of Monge-Ampère foliations and parabolic manifolds, **115** (1982), 349–373.

Caffarelli, L. A.
Interior *a priori* estimates for solutions of fully non-linear equations, **130** (1989), 189–213.
A localization property of viscosity solutions of the Monge-Ampère equation, **131** (1990), 129–134.
Interior $W^{2,p}$ estimates for solutions of the Monge-Ampère equation, **131** (1990), 135–150.

Caffarelli, L. A. and Riviere, N. M.
Asymptotic behaviour of free boundaries at their singular points, **106** (1977), 309–317.

Camacho, C. and Sad, P.
Invariant varieties through singularities of holomorphic vector fields, **115** (1982), 579–595.

Cannon, J. W.
Shrinking cell-like decompositions of manifolds. Codimension three, **110** (1979), 83–112.
See Ancel and Cannon.

Cappell, S. E. and Shaneson, J. L.
Piecewise linear embeddings and their singularities, **103** (1976), 163–228.
There exist inequivalent knots with the same complement, **103** (1976), 349–353.
Some new four manifolds, **104** (1976), 61–72.
Singularities and immersions, **105** (1977), 539–552.
Non-linear similarity, **113** (1981), 315–355.

Carleson, L.
See Benedicks and Carleson.

Carlson, J. A.
A moving lemma for the transcendental Bezout problem, **103** (1976), 305–330.

Carlsson, G.
Equivariant stable homotopy and Segal's Burnside ring conjecture, **120** (1984), 189–224.

Catlin, D.
Necessary conditions for subellipticity of the $\bar{\partial}$-Neumann problem, **117** (1983), 147–171.
Boundary invariants of pseudoconvex domains, **120** (1984), 529–586.
Subelliptic estimates for the $\bar{\partial}$-Neumann problem on pseudoconvex domains, **126** (1987), 131–191.

Cattani, E., Kaplan, A., Schmid, W.
Degeneration of Hodge structures, **123** (1986), 457–536.

Ceresa, G.
C is not algebraically equivalent to C^- in its Jacobian, **117** (1983), 285–291.

Chai, C.-L.
Appendix: Arithmetic minimal compactification of the Hilbert-Blumenthal moduli spaces, **131** (1990), 541–554.

Chang, S.-Y. A.
Carleson measure on the bi-disc, **109** (1979), 613–620.

Chang, S.-Y. A. and Fefferman, R.
A continuous version of H^1 with BMO on the bidisc, **112** (1980), 179–201.

Cheeger, J.
Analytic torsion and the heat equation, **109** (1979), 259–321.

Cheng, S.-Y. and Yau, S.-T.
Maximal space-like hypersurfaces in the Lorentz-Minkowski spaces, **104** (1976), 407–419.

Chern, S. S. and Wolfson, J. G.
Harmonic maps of the two-sphere into a complex Grassman manifold, II, **125** (1987), 301–335.

Chevalier, L.
See Brossard et Chevalier.

Chinburg, T.
Exact sequences and Galois module structure, **121** (1985), 351–376.

Choi, M.-D. and Effros, E. G.
The completely positive lifting problem for C^*-algebras, **104** (1976), 585–609.

Choodnovsky, G. V. (Chudnovsky)
A new method for the investigation of arithmetical properties of analytic functions, **109** (1979), 353–376.
On the method of Thue-Siegel, **117** (1983), 325–382.

Christ, M.
Hilbert transforms along curves, I: Nilpotent groups, **122** (1985), 575–596.
Weak type (1, 1) bounds for rough operators, **128** (1988), 19–42.
Embedding compact three-dimensional CR manifolds of finite type in $\mathbf{C}^n$, **129** (1989), 195–213.

Clemens, H.
On the surjectivity of Abel-Jacobi mappings, **117** (1983), 71–76.

Clozel, L.
Orbital integrals on p-adic groups: A proof of the Howe conjecture, **129** (1989), 237–251.

Coeuré, G. and Loeb, J. J.
A counterexample to the Serre problem with a bounded domain of $\mathbf{C}^2$ as fiber, **122** (1985), 329–334.

Cohen, F. R., Moore, J. C., Neisendorfer, J. A.
Torsion in homotopy groups, **109** (1979), 121–168.
The double suspension and exponents of the homotopy groups of spheres, **110** (1979), 549–565.

Cohen, R. L.
The immersion conjecture for differentiable manifolds, **122** (1985), 237–328.

Coifman, R. R., McIntosh, A., Meyer, Y.
L'intégrale de Cauchy définit un operateur borné sur L^2 pour les courbes Lipschitziennes, **116** (1982), 361–387.

Coifman, R. R., Rochberg, R., Weiss, G.
Factorization theorems for Hardy spaces in several variables, **103** (1976), 611–635.

Coleman, R. F.
Torsion points on curves and p-adic Abelian integrals, **121** (1985), 111–168.

Colliot-Thélène, J.-L.
See Beauville et al.

Colombini, F., Jannelli, E., Spagnolo, S.
Non-uniqueness in hyperbolic Cauchy problems, **126** (1987), 495–524.

Conn, J. F.
Normal forms for analytic Poisson structures, **119** (1984), 577–601.
Normal forms for smooth Poisson structures, **121** (1985), 565–593.
Correction, **125** (1987), 433–436.

Connes, A.
Classification of injective factors, **104** (1976), 73–115.

Connes, A. and Moscovici, H.
The L^2-index theorem for homogeneous spaces of Lie groups, **115** (1982), 291–330.

Conway, J. H. and Sloane, N. J. A.
Laminated lattices, **116** (1982), 593–620.

Córdoba, A.
The multiplier problem for the polygon, **105** (1977), 581–588.

Cowling, M.
The Kunze-Stein phenomenon, **107** (1978), 209–234.
Harmonic analysis on semigroups, **117** (1983), 267–283.

Craven, T., Csordas, G., Smith, W.
The zeros of derivatives of entire functions and the Pólya-Wiman conjecture, **125** (1987), 405–431.

Csordas, G.
See Craven et al.

Culler, M., Gordon, C. McA., Luecke, J., Shalen, P. B.
Dehn surgery on knots, **125** (1987), 237–300.
Correction, **127** (1988), 663.

Culler, M. and Shalen, P. B.
Varieties of group representations and splittings of 3-manifolds, **117** (1983), 109–146.

Cuntz, J.
K-theory for certain C^*-algebras, **113** (1981), 181–197.

Cwikel, M.
Weak type estimates for singular values and the number of bound states of Schrödinger operators, **106** (1977), 93–100.

Dade, E. C.
Endo-permutation modules over p-groups, I, **107** (1978), 459–494.
Endo-permutation modules over p-groups, II, **108** (1978), 317–346.

Dahlberg, B. E. J. and Kenig, C. E.
Hardy spaces and the Neumann problem in L^p for Laplace's equation in Lipschitz domains, **125** (1987), 437–465.

D'Angelo, J. P.
Real hypersurfaces, orders of contact and applications, **115** (1982), 615–637.

Dani, S. G.
Continuous equivariant images of lattice-actions on boundaries, **119** (1984), 111–119.

Dankner, A.
On Smale's Axiom *A* dynamical systems, **107** (1978), 517–553.

David, G. and Journé, J.-L.
A boundedness criterion for generalized Calderón-Zygmund operators, **120** (1984), 371–397.

Davis, D. M.
A strong non-immersion theorem for real projective spaces, **120** (1984), 517–528.

Davis, M. W.
Groups generated by reflections and aspherical manifolds not covered by Euclidean space, **117** (1983), 193–324.

Davis, M. and Hsiang, W.-c.
Concordance classes of regular U_n and Sp_n action on homotopy spheres, **105** (1977), 325–341.

De Concini, C.
See Arbarello and De Concini.

DeGeorge, D. L. and Wallach, N. R.
Limit formulas for multiplicities in $L^2(\Gamma \setminus G)$, **107** (1978), 133–150.
Limit formulas for multiplicities in $L^2(\Gamma \setminus G)$, II. The tempered spectrum, **109** (1979), 477–495.

Deligne, P. and Lusztig, G.
Representations of reductive groups over finite fields, **103** (1976), 103–161.

Denef, J. and van den Dries, L.
p-adic and real subanalytic sets, **128** (1988), 79–138.

Deninger, C.
Higher regulators and Hecke *L*-series of imaginary quadratic fields, II, 132 (1990), 131–158.

Devinatz, E., Hopkins, M. J., Smith, J. H.
Nilpotence and stable homotopy theory, I, **128** (1988), 207–241.

DeVore, R. A.
See Bennett et al.

DeVore, R. and Scherer, K.
Interpolation of linear operators on Sobolev spaces, **109** (1979), 583–599.

Diederich, K. and Fornæss, J. E.
Pseudoconvex domains with real-analytic boundary, **107** (1978), 371–384.
Proper holomorphic maps onto pseudoconvex domains with real analytic boundary, **110** (1979), 575–592.

DiPerna, R. J. and Lions, P. L.
On the Cauchy problem for Boltzmann equations: Global existence and weak stability, **130** (1989), 321–366.

Dippolito, P. R.
Codimension one foliations of closed manifolds, **107** (1978), 403–453.
Correction, **110** (1979), 203.

Donagi, R.
The unirationality of A_5, **119** (1984), 269–307.
Non-Jacobians in the Schottky loci, **126** (1987), 193–217.

Donnelly, H.
See Atiyah et al.

Donnelly, H. and Fefferman, C.
L^2-cohomology and index theorem for the Bergman metric, **118** (1983), 593–618.

Doplicher, S. and Roberts, J. E.
Endomorphisms of C^*-algebras, cross products and duality for compact groups, **130** (1989), 75–119.

Douglas, R. G.
See Brown, Douglas, and Fillmore.

Drasin, D.
Quasi-conformal modifications of functions having deficiency sum two, 114 (1981), 493–518.

van den Dries, L.
See Denef and van den Dries.

Dudley, R. M., Feldman, J., LeCam, L.
Correction to "On seminorms and probabilities, and abstract Wiener spaces", **104** (1976), 391.

Duflo, M.
Sur la classification des idéaux primitifs dans l'algèbre enveloppante d'une algèbre de Lie semi-simple, **105** (1977), 107–120.

Dumortier, F.
Non-stabilisable jets of diffeomorphisms in $\mathbf{R}^2$ and of vector fields in $\mathbf{R}^3$, 124 (1986), 405–440.

Dwyer, W. G.
Twisted homological stability for general linear groups, **111** (1980), 239–251.

Dwyer, W. G. and Wilkerson, C. W.
Smith theory revisited, **127** (1988), 191–198.

Earle, C. J.
Families of Riemann surfaces and Jacobi varieties, **107** (1978), 255–286.

Eberlein, P.
Lattices in spaces of nonpositive curvature, **111** (1980), 435–476.
See Ballmann, Brin, and Eberlein.

Ebin, D. G.
The motion of slightly compressible fluids viewed as a motion with strong constraining force, **105** (1977), 141–200.

Ecker, K. and Huisken, G.
Mean curvature evolution of entire graphs, **130** (1989), 453–471.

Edmonds, A. L.
Deformation of maps to branched coverings in dimension two, **110** (1979), 113–125.

Edmonds, A. L., Ewing, J. H., Kulkarni, R. S.
Regular tessellations of surfaces and $(p, q, 2)$-triangle groups, **116** (1982), 113–132.

Edwards, D. A. and Geoghegan, R.
Correction to "Shapes of complexes, ends of manifolds, homotopy limits, and the Wall obstruction", **104** (1976), 389.

Effros, E. G.
See Choi and Effros.

Ehrenpreis, L.
Reflection, removable singularities, and approximation for partial differential equations, I, **112** (1980), 1–20.

Eisenbud, D. and Levine, H. I.
An algebraic formula for the degree of a C^∞ map germ, **106** (1977), 19–38.

Ekeland, I. and Lasry, J.-M.
On the number of periodic trajectories for a Hamiltonian flow on a convex energy surface, **112** (1980), 283–319.

Ellingsrud, G. and Strømme, S. A.
On the Chow ring of a geometric quotient, **130** (1989), 159–187.

Elliott, G. A.
Some C^*-algebras with outer derivations, III, **106** (1977), 121–143.
See Bratteli et al.

Enright, T. J.
On the fundamental series of a real semisimple Lie algebra: Their irreducibility, resolutions and multiplicity formulae, **110** (1979), 1–82.

Epstein, D. B. A. and Vogt, E.
A counterexample to the periodic orbit conjecture in codimension 3, **108** (1978), 539–552.

Evans, E. G. and Griffith, P.
The syzygy problem, **114** (1981), 323–333.

Ewing, J. H.
See Edmonds et al.

Faber, C.
Chow rings of moduli spaces of curves, I. The Chow ring of $\mathcal{M}_3$, **132** (1990), 331–420.
II. Some results on the Chow ring of $\mathcal{M}_4$, **132** (1990), 421–450.

Fabes, E. B., Jerison, D. S., Kenig, C. E.
Necessary and sufficient conditions for absolute continuity of elliptic-harmonic measure, **119** (1984), 121–141.

Faltings, G.
Algebraisation of some formal vector bundles, **110** (1979), 501–514.
Calculus on arithmetic surfaces, **119** (1984), 387–424.

Farrell, F. T. and Hsiang, W.-c.
On Novikov's conjecture for non-positively curved manifolds, I, **113** (1981), 199–209.

Farrell, F. T. and Jones, L. E.
K-theory and dynamics, I, **124** (1986), 531–569.
K-theory and dynamics, II, **126** (1987), 451–493.

Fefferman, C. L.
Monge-Ampère equations, the Bergman kernel, and geometry of pseudoconvex domains, **103** (1976), 395–416.
Correction, **104** (1976), 393–394.
See Donnelly and Fefferman.

Fefferman, C. L. and Sánchez-Calle, A.
Fundamental solutions for second order subelliptic operators, **124** (1986), 242–272.

Fefferman, R.
Bounded mean oscillation on the polydisc, **110** (1979), 395–406.
Harmonic analysis on product spaces, **126** (1987), 109–130.
See Chang and Fefferman.

Feldman, J.
See Brin et al.,
Dudley, Feldman, and LeCam.

Fenton, P. C.
Some results of Wiman-Valiron type for integral functions of finite lower order, **103** (1976), 237–252.

Fernández, J. L.
On the growth and coefficients of analytic functions, **120** (1984), 505–516.

Ferrero, B. and Washington, L. C.
The Iwasawa invariant μ_p vanishes for abelian number fields, **109** (1979), 377–395.

Ferry, S.
The homeomorphism group of a compact Hilbert cube manifold is an ANR, **106** (1977), 101–119.

Fillmore, P. A.
See Brown, Douglas, and Fillmore.

Fintushel, R. and Stern, R. J.
An exotic free involution on S^4, **113** (1981), 357–365.
Pseudofree orbifolds, **122** (1985), 335–364.

Flensted-Jensen, M.
Discrete series for semisimple symmetric spaces, **111** (1980), 253–311.

Fontaine, J.-M.
Sur certains types de représentations *p*-adiques du groupe de Galois d'un corps local; construction d'un anneau de Barsotti-Tate, **115** (1982), 529–577.

Foreman, M., Magidor, M., Shelah, S.
Martin's Maximum, saturated ideals, and non-regular ultrafilters, Part I: **127** (1988), 1–47.
Part II: **127** (1988), 521–545.
Correction to Part I, **129** (1989), 651.

Fornæss, J. E.
Sup-norm estimates for $\bar{\partial}$ in C^2, **123** (1986), 335–345.
See Bedford and Fornæss,
Diederich and Fornæss.

Frankl, P. and Furedi, Z.
Solution of the Littlewood-Offord problem in high dimension, **128** (1988), 259–270.

Franks, J. M.
Constructing structurally stable diffeomorphisms, **105** (1977), 343–359.
Knots, links, and symbolic dynamics, **113** (1981), 529–552.
Generalization of the Poincaré-Birkhoff theorem, **128** (1988), 139–151.
See Bowen and Franks.

Freedman, M. H.
A fake $S^3 \times R$, **110** (1979), 177–201.

Freeman, M.
Local biholomorphic straightening of real submanifolds, **106** (1977), 319–352.
Fully integrable Pfaffian systems, **119** (1984), 465–510.

Fried, M. and Sacerdote, G.
Solving diophantine problems over all residue class fields of a number field and all finite fields, **104** (1976), 203–233.

Friedberg, S.
See Bump et al.

Friedland, S.
A lower bound for the permanent of a doubly stochastic matrix, **110** (1979), 167–176.

Friedlander, J. and Granville, A.
Limitations to the equidistribution of primes, **129** (1989), 363–382.

Friedlander, J. B. and Iwaniec, H.
Incomplete Kloosterman sums and a divisor problem; with an appendix: On some exponential sums, by B. J. Birch and E. Bombieri, **121** (1985), 319–350.

Friedman, H.
Set theoretic foundations for constructive analysis, **105** (1977), 1–28.

Friedman, R.
Global smoothings of varieties with normal crossings, **118** (1983), 75–114.
A new proof of the global Torelli theorem for $K3$ surfaces, **120** (1984), 237–269.

Friedman, S. D.
Negative solutions to Post's problem, II, **113** (1981), 25–43.

Fröhlich, J., Osterwalder, K., Seiler, E.
On virtual representations of symmetric spaces and their analytic continuation, **118** (1983), 461–489.

Fröhlich, J. and Simon, B.
Pure states for general $P(\phi)_2$ theories: Construction, regularity, and variational equality, **105** (1977), 493–526.

Fulton, W.
On the fundamental group of the complement of a node curve, **111** (1980), 407–409.

Fulton, W. and Hansen, J.
A connectedness theorem for projective varieties with applications to intersections and singularities of mappings, **110** (1979), 159–166.

Fulton, W. and Lazarsfeld, R.
The numerical positivity of ample vector bundles, **118** (1983), 35–60.

Fulton, W. and Macpherson, R.
Characteristic classes of direct image bundles for covering maps, **125** (1987), 1–92.

Furedi, Z.
See Frankl and Furedi.

Gabai, D. and Oertel, U.
Essential laminations in 3-manifolds, **130** (1989), 41–73.

Galewski, D. E. and Stern, R. J.
Classification of simplicial triangulations of topological manifolds, **111** (1980), 1–34.

Garnett, J. B. and Jones, P. W.
The distance in BMO to L^∞, **108** (1978), 373–393.

Garrett, P. B.
Decomposition of Eisenstein series: Rankin triple products, **125** (1987), 209–235.

Geoghegan, R.
See Edwards and Geoghegan.

Gieseker, D.
On the moduli of vector bundles on an algebraic surface, **106** (1977), 45–60.

Gillet, H. and Soulé, C.
Characteristic classes for algebraic vector bundles, I, II, **131** (1990), 163–238.

Glicksberg, I.
A remark on the preceding paper (*see* McGehee et al.), **113** (1981), 619–620.

Globevnik, J. and Stout, E. L.
Analytic discs with rectifiable simple closed curves as boundary, **127** (1988), 389–401.

Gluck, H. and Singer, D.
Scattering of geodesic fields, I, **108** (1978), 347–372.
Scattering of geodesic fields, II, **110** (1979), 205–225.

Gohberg, I., Lancaster, P., Rodman, L.
Spectral analysis of selfadjoint matrix polynomials, **112** (1980), 33–71.

Goldschmidt, D. M.
Automorphisms of trivalent graphs, **111** (1980), 377–406.

Gomez-Mont, X.
The transverse dynamics of a holomorphic flow, **127** (1988), 49–92.

González-Acuña, F. and Montesinos, J. M.
Ends of knot groups, **108** (1978), 91–96.

Goodwillie, T. G.
On the general linear group and Hochschild homology, **121** (1985), 383–407.
Correction, **124** (1986), 627–628.
Algebraic *K*-theory and cyclic homology, **124** (1986), 344–399.

Gordon, C. McA.
See Culler et al.

Gorenstein, D.
See Aschbacher et al.

Granville, A.
See Friedlander and Granville.

Grayson, M. A.
Shortening embedded curves, **129** (1989), 71–111.

Griess, R. L., Jr., Meierfrankenfeld, U., Segev, Y.
A uniqueness proof for the Monster, **130** (1989), 567–602.

Griffith, P.
See Evans and Griffith.

Griffiths, P. and Harris, J.
Residues and zero-cycles on algebraic varieties, **108** (1978), 461–505.

Grigis, A. and Rothschild, L. P.
A criterion for analytic hypoellipticity of a class of differential operators with polynomial coefficients, **118** (1983), 443–460.

Grillakis, M. G.
Regularity and asymptotic behaviour of the wave equation with a critical nonlinearity, **132** (1990), 485–509.

Gromov, M. and Lawson, H. B., Jr.
Spin and scalar curvature in the presence of a fundamental group, I, **111** (1980), 209–230.
The classification of simply connected manifolds of positive scalar curvature, **111** (1980), 423–434.

Gross, B. H. and Koblitz, N.
Gauss sums and the p-adic Γ-function, **109** (1979), 569–581.

Grove, K. and Petersen, P.
Bounding homotopy types by geometry, **128** (1988), 195–206.

Grove, K. and Shiohama, K.
A generalized sphere theorem, **106** (1977), 201–211.

Grunewald, F. J., Pickel, P. F., Segal, D.
Polycyclic groups with isomorphic finite quotients, **111** (1980), 155–195.

Grunewald, F. and Segal, D.
Some general algorithms.
Part I: Arithmetic groups, **112** (1980), 531–583.
Part II: Nilpotent groups, **112** (1980), 585–617.

Guckenheimer, J. and Johnson, S.
Distortion of S-unimodal maps, **132** (1990), 71–130.

Gulliver, R. and Spruck, J.
On embedded minimal surfaces, **103** (1976), 331–347.
Correction, **109** (1979), 407–412.

Haagerup, U.
Solution of the similarity problem for cyclic representations of C^*-algebras, **118** (1983), 215–240.

Hacon, D.
See Buoncristiano and Hacon.

Hagedorn, G. A.
High order corrections to the time-dependent Born-Oppenheimer approximation, I: Smooth potentials, **124** (1986), 571–590.
Erratum, **126** (1987), 219.

Hamenstädt, U.
Entropy-rigidity of locally symmetric spaces of negative curvature, **131** (1990), 35–51.

Handel, M.
One dimensional minimal sets and the Seifert conjecture, **111** (1980), 35–66.

Hanges, N. and Sjöstrand, J.
Propagation of analyticity for a class of non-micro-characteristic operators, **116** (1982), 559–577.

Hansen, J.
See Fulton and Hansen.

Hardt, R. and Simon, L.
Boundary regularity and embedded solutions for the oriented Plateau problem, **110** (1979), 439–486.

Harer, J. L.
Stability of the homology of the mapping class groups of orientable surfaces, **121** (1985), 215–249.

Harish-Chandra
Harmonic analysis on real reductive groups, III, **104** (1976), 117–201.

Harris, J.
See Griffiths and Harris.

Harris, M.
Eisenstein series on Shimura varieties, **119** (1984), 59–94.

Hartshorne, R. and Speiser, R.
Local cohomological dimension in characteristic p, **105** (1977), 45–79.

Harvey, F. R. and Lawson, H. B., Jr.
On boundaries of complex analytic varieties, II, **106** (1977), 213–238.

Hatcher, A. E.
A proof of the Smale conjecture, $\mathrm{Diff}(S^3) \simeq \mathrm{O}(4)$, **117** (1983), 553–607.

Hausmann, J.-C.
Homological surgery, **104** (1976), 573–584.

Heckman, G.
See Beukers et al.

Heitsch, J. L.
Independent variation of secondary classes, **108** (1978), 421–460.

Henniart, G.
On the local Langlands conjecture for GL(n): The cyclic case, **123** (1986), 145–203.

Henson, C. W.
See Becker, Henson, and Rubel.

Hida, H.
On p-adic Hecke algebras for GL_2 over totally real fields, **128** (1988), 295–384.

Hirsch, M. W.
Stability of stationary points of group actions, **109** (1979), 537–544.

Hirschowitz, A.
On the convergence of formal equivalence between embeddings, **113** (1981), 501–514.

Høegh-Krohn, R., Landstad, M. B., Størmer, E.
Compact ergodic groups of automorphisms, **114** (1981), 75–86.

Hoffman, D. and Meeks, W. H., III
Embedded minimal surfaces of finite topology, **131** (1990), 1–34.

Hoffstein, J.
See Bump et al.

Holley, R. and Stroock, D. W.
Central limit phenomena of various interacting systems, **110** (1979), 333–393.

Hopkins, M. J.
See Devinatz, Hopkins, and Smith.

Horikawa, E.
Algebraic surfaces of general type with small c_1^2, I, **104** (1976), 357–387.

Hörmander, L.
Propagation of singularities and semi-global existence theorems for (pseudo-) differential operators of principal type, **108** (1978), 569–609.

Hsiang, W.-c.
See Anderson and Hsiang,
Davis and Hsiang,
Farrell and Hsiang.

Hsiang, W.-y.
Minimal cones and the spherical Bernstein problem, I, **118** (1983), 61–73.

Hsiang, W.-y., Teng, Z.-H., Yu, W.-C.
New examples of constant mean curvature immersions of $(2k-1)$-spheres into euclidean $2k$-space, **117** (1983), 609–625.

Huisken, G.
See Ecker and Huisken.

Huneke, C. and Ulrich, B.
The structure of linkage, **126** (1987), 277–334.

Hurder, S. and Katok, A.
Ergodic theory and Weil measures for foliations, **126** (1987), 221–275.

Igusa, K.
Higher singularities of smooth functions are unnecessary, **119** (1984), 1–58.

Ihara, Y.
Profinite braid groups, Galois representations and complex multiplications, **123** (1986), 43–106.
See Anderson and Ihara.

Iwaniec, H.
See Friedlander and Iwaniec.

Jacobowitz, H.
See Baouendi et al.

Jacquet, H. H., Piatetski-Shapiro, I. I., Shalika, J. A.
Automorphic forms on GL_2, I, II, **109** (1979), 169–258.

Jannelli, E.
See Colombini et al.

Janusz, G. J.
The Schur group of an algebraic number field, **103** (1976), 253–281.

Jerison, D. S.
See Fabes et al.

Jerison, D. S. and Kenig, C. E.
The Dirichlet problem in non-smooth domains, **113** (1981), 367–382.
Unique continuation and absence of positive eigenvalues for Schrödinger operators; with an appendix by E. M. Stein, **121** (1985), 463–494.

Jewell, N.
See Axler et al.

Johnson, D.
The structure of the Torelli groups, I: A finite set of generators for $\mathscr{I}$, 118 (1983), 423–442.

Johnson, K. D.
Generalized Hua operators and parabolic subgroups, **120** (1984), 477–495.

Johnson, K. D. and Korányi, A.
The Hua operators on bounded symmetric domains of tube type, **111** (1980), 589–608.

Johnson, S.
See Guckenheimer and Johnson.

Jones, L. E.
See Farrell and Jones.

Jones, P. W.
Carleson measures and the Fefferman-Stein decomposition of BMO(**R**), 111 (1980), 197–208.
Factorization of A_p weights, **111** (1980), 511–530.
See Bishop and Jones,
Garnett and Jones.

Jones, V. F. R.
Hecke algebra representations of braid groups and link polynomials, **126** (1987), 335–388.

Jorge, L. P. de M. and Xavier, F.
A complete minimal surface in $\mathbf{R}^3$ between two parallel planes, **112** (1980), 203–206.

Jørgensen, T.
Compact 3-manifolds of constant negative curvature fibering over the circle, **106** (1977), 61–72.

Journé, J.-L.
See David and Journé.

Kalikow, S. A.
T, T^{-1} transformation is not loosely Bernoulli, **115** (1982), 393–409.

Kannan, R. and Lovasz, L.
Covering minima and lattice-point-free convex bodies, **128** (1988), 577–602.

Kaplan, A.
See Cattani et al.

Kapouleas, N.
Complete constant mean curvature surfaces in Euclidean three space, 131 (1990), 239–330.

Karoubi, M.
Théorie de Quillen et homologie du groupe orthogonal, **112** (1980), 207–257.
Le théorème fondamental de la *K*-théorie hermitienne, **112** (1980), 259–282.

Kashiwara, M., Kowata, A., Minemura, K., Okamoto, K., Oshima, T., Tanaka, M.
Eigenfunctions of invariant differential operators on a symmetric space, **107** (1978), 1–39.

Kashiwara, M. and Oshima, T.
Systems of differential equations with regular singularities and their boundary value problems, **106** (1977), 145–200.

Kato, K. and Saito, S.
Unramified class field theory of arithmetical surfaces, **118** (1983), 241–275.

Katok, A.
Bernoulli diffeomorphisms on surfaces, **110** (1979), 529–547.
See Brin et al.,
Hurder and Katok.

Katz, N. M.
p-adic interpolation of real analytic Eisenstein series, **104** (1976), 459–571.

Kawamata, Y.
Elementary contraction of algebraic 3-folds, **119** (1984), 95–110.
The cone of curves of algebraic varieties, **119** (1984), 603–633.
Crepant blowing-up of 3-dimensional canonical singularities and its application to degeneration of surfaces, **127** (1988), 93–163.

Keane, M. and Smorodinsky, M.
Bernoulli schemes of the same entropy are finitarily isomorphic, **109** (1979), 397–406.

Kempf, G. R.
Linear systems on homogeneous spaces, **103** (1976), 557–591.
Instability in invariant theory, **108** (1978), 299–316.
Toward the inversion of abelian integrals, I, **110** (1979), 243–273.

Kenig, C. E.
See Dahlberg and Kenig,
Fabes et al.,
Jerison and Kenig.

Kerckhoff, S. P.
The Nielsen realization problem, **117** (1983), 235–265.

Kerckhoff, S., Masur, H., Smillie, J.
Ergodicity of billiard flows and quadratic differentials, **124** (1986), 292–310.

Kersey, D.
Modular units inside cyclotomic units, **112** (1980), 361–380.

Ketonen, J.
The structure of countable Boolean algebras, **108** (1978), 41–89.

Ketonen, J. and Solovay, R.
Rapidly growing Ramsey functions, **113** (1981), 267–314.

King, H. C.
Topological type of isolated singularities, **107** (1978), 385–397.
See Akbulut and King.

Kiremidjian, G.
On complex structures with a fixed induced CR structure, **109** (1979), 87–119.

Kirwan, F. C.
Desingularisations of quotients of non-singular varieties and their Betti numbers, **122** (1985), 41–85.

Kishimoto, A.
See Bratteli et al.

Knapp, A. W. and Zuckerman, G. J.
Classification of irreducible tempered representations of semisimple groups, I, II, **116** (1982), 389–501.
Correction, **119** (1984), 639.

Knörr, R.
On the vertices of irreducible modules, **110** (1979), 487–499.

Koblitz, N.
See Gross and Koblitz.

Kollár, J.
The cone theorem: Note to a paper of Y. Kawamata (*see* **119** (1984), 603–633), **120** (1984), 1–5.
Higher direct images of dualizing sheaves, I, **123** (1986), 11–42.
Higher direct images of dualizing sheaves, II, **124** (1986), 171–202.

Korányi, A.
See Johnson and Korányi.

Körner, T. W.
Uniqueness for trigonometric series, **126** (1987), 1–34.

Kottwitz, R. E.
Tamagawa numbers, **127** (1988), 629–646.

Kowata, A.
See Kashiwara et al.

Kreck, M. and Stolz, S.
A diffeomorphism classification of 7-dimensional homogeneous Einstein manifolds with $SU(3) \times SU(2) \times U(1)$-symmetry, **127** (1988), 373–388.

Kříš, I.
Well-quasiordering finite trees with gap-condition. Proof of Harvey Friedman's conjecture, **130** (1989), 215–226.

Krivine, J. L.
Sous-espaces de dimension finie des espaces de Banach réticulés, **104** (1976), 1–29.

Kucharz, W.
See Bochnak and Kucharz.

Kulkarni, R. S.
See Edmonds et al.

Kumar, N. M. and Murthy, M. P.
Algebraic cycles and vector bundles over affine three-folds, **116** (1982), 579–591.

Kuranishi, M.
Strongly pseudoconvex CR structures over small balls,
Part I: An a priori estimate, **115** (1982), 451–500.
Part II: A regularity theorem, **116** (1982), 1–64.
Part III: An embedding theorem, **116** (1982), 249–330.

Kusuoka, S. and Stroock, D.
Long time estimates for the heat kernel associated with a uniformly subelliptic symmetric second order operator, **127** (1988), 165–189.

Kutzko, P.
The Langlands conjecture for Gl_2 of a local field, **112** (1980), 381–412.

Kutzko, P. and Moy, A.
On the local Langlands conjecture in prime dimension, **121** (1985), 495–517.

Lancaster, P.
See Gohberg, Lancaster, and Rodman.

Landstad, M. B.
See Høegh-Krohn et al.

Larson, D. R.
Nest algebras and similarity transformations, **121** (1985), 409–427.

Lashof, R.
See Burghelea and Lashof.

Lasry, J.-M.
See Ekeland and Lasry.

Lawson, B.
Algebraic cycles and homotopy theory, **129** (1989), 253–291.

Lawson, H. B., Jr.
See Gromov and Lawson,
Harvey and Lawson.

Lazarsfeld, R.
See Fulton and Lazarsfeld.

Lê, D. T. et Teissier, B.
Variétés polaires locales et classes de Chern des variétés singulières, **114** (1981), 457–491.
Errata, **115** (1982), 668.

LeCam, L.
See Dudley, Feldman, and LeCam.

Ledrappier, F. and Young, L.-S.
The metric entropy of diffeomorphisms,
Part I: Characterization of measures satisfying Pesin's formula, **122** (1985), 509–539.
Part II: Relations between entropy, exponents, and dimension, **122** (1985), 540–574.

Lee, R. and Szczarba, R. H.
The group $K_3(Z)$ is cyclic of order forty-eight, **104** (1976), 31–60.

Lempert, L.
Holomorphic invariants, normal forms, and the moduli space of convex domains, **128** (1988), 43–78.

Lenstra, H. W., Jr.
Factoring integers with elliptic curves, **126** (1987), 649–673.

Lerner, N.
Sufficiency of condition (ψ) for local solvability in two dimensions, **128** (1988), 243–258.

Levine, H. I.
See Eisenbud and Levine.

Li, P.
Large time behavior of the heat equation on complete manifolds with non-negative Ricci curvature, **124** (1986), 1–21.

Li, P. and Tam, L.-F.
Positive harmonic functions on complete manifolds with non-negative curvature outside a compact set, **125** (1987), 171–207.

Lieb, E.
Sharp constants in the Hardy-Littlewood-Sobolev and related inequalities, **118** (1983), 349–374.
See Almgren and Lieb.

Lieb, I. and Range, R. M.
Integral representations and estimates in the theory of the $\bar{\partial}$-Neumann problem, **123** (1986), 265–301.

Lin, J. P.
Torsion in H-spaces, I, **103** (1976), 457–487.
Torsion in H-spaces, II, **107** (1978), 41–88.
Two torsion and the loop space conjecture, **115** (1982), 35–91.

Lions, P. L.
See DiPerna and Lions.

Lipman, J.
Desingularization of two-dimensional schemes, **107** (1978), 151–207.

de la Llave, R., Marco, J. M., Moriyon, R.
Canonical perturbation theory of Anosov systems and regularity results for the Livsic cohomology equation, **123** (1986), 537–611.

Loeb, J. J.
See Coeuré and Loeb.

Looijenga, E.
Rational surfaces with an anti-canonical cycle, **114** (1981), 267–322.

Lovasz, L.
See Kannan and Lovasz.

Lubotzky, A.
Group presentation, p-adic analytic groups, and lattices in $SL_2(C)$, **118** (1983), 115–130.

Luecke, J.
See Culler et al.

Lusztig, G.
Green functions and character sheaves, **131** (1990), 355–408.
See Deligne and Lusztig.

Lyons, R.
Fourier-Stieltjes coefficients and asymptotic distribution modulo 1, **122** (1985), 155–170.
See Aschbacher et al.

Machedon, M.
Szegö kernels on pseudoconvex domains with one degenerate eigenvalue, **128** (1988), 619–640.

Macpherson, R.
See Fulton and Macpherson.

Magidor, M.
On the singular cardinals problem, II, **106** (1977), 517–547.
See Foreman et al.

Mahowald, M.
The image of J in the EHP sequence, **116** (1982), 65–112.
Correction, **120** (1984), 65–112.

Mañé, R.
An ergodic closing lemma, **116** (1982), 503–540.

Manning, A.
Topological entropy for geodesic flows, **110** (1979), 567–573.
The dimension of the maximal measure for a polynomial map, **119** (1984), 425–430.

Marco, J. M.
See de la Llave et al.

Marcus, B.
Ergodic properties of horocycle flows for surfaces of negative curvature, **105** (1977), 81–105.

Marin, A.
La transversalité topologique, **106** (1977), 269–293.

Maskit, B.
Parabolic elements in Kleinian groups, **117** (1983), 659–668.

Masur, H.
Interval exchange transformations and measured foliations, **115** (1982), 169–200.
See Kerckhoff et al.

Máté, A. and Nevai, P. G.
Bernstein's inequality in L^p for $0 < p < 1$ and $(C, 1)$ bounds for orthogonal polynomials, **111** (1980), 145–154.

Mattila, P.
Smooth maps, null-sets for integral geometric measure and analytic capacity, **123** (1986), 303–309.

McGehee, O. C., Pigno, L., Smith, B.
Hardy's inequality and the L^1 norm of exponential sums, **113** (1981), 613–618.

McIntosh, A.
See Coifman et al.

McMullen, C.
Families of rational maps and iterative root-finding algorithms, **125** (1987), 467–493.

Meeks, W. H., III
See Hoffman and Meeks.

Meeks, W., III, Simon, L., Yau, S.-T.
Embedded minimal surfaces, exotic spheres, and manifolds with positive Ricci curvature, **116** (1982), 621–659.

Meeks, W. H., III and Yau, S.-T.
Topology of three dimensional manifolds and the embedding problems in minimal surface theory, **112** (1980), 441–484.

Mehta, V. B. and Ramanathan, A.
Frobenius splitting and cohomology vanishing for Schubert varieties, **122** (1985), 27–40.

Meierfrankenfeld, U.
See Griess et al.

de Melo, W. and van Strien, S.
A structure theorem in one dimensional dynamics, **129** (1989), 519–546.

Melrose, R. and Ritter, N.
Interaction of nonlinear progressing waves for semilinear wave equations, **121** (1985), 187–213.

Merkurjev, A. S.
On the torsion in K_2 of local fields, **118** (1983), 375–381.

Meyer, Y.
See Coifman et al.

Micallef, M. J. and Moore, J. D.
Minimal two-spheres and the topology of manifolds with positive curvature on totally isotropic two-planes, **127** (1988), 199–227.

Miller, H.
The Sullivan conjecture on maps from classifying spaces, **120** (1984), 39–87.
Correction, **121** (1985), 605–609.

Miller, H. R., Ravenel, D. C., Wilson, W. S.
Periodic phenomena in the Adams-Novikov spectral sequence, **106** (1977), 469–516.

Miller, R. T.
Mapping cylinder neighborhoods of some ANR's, **103** (1976), 417–427.

Millson, J. J.
On the first Betti number of a compact constant negatively curved manifold, **104** (1976), 235–247.
Closed geodesics and the η-invariant, **108** (1978), 1–39.

Milman, P. D.
See Bierstone and Milman.

Milne, J. S. and Shih, K.-Y.
The action of complex conjugation on a Shimura variety, **113** (1981), 569–599.

Minemura, K.
See Kashiwara et al.

Mislin, G.
Finitely dominated nilpotent spaces, **103** (1976), 547–556.

Miyaoka, Y. and Mori, S.
A numerical criterion of uniruledness, **124** (1986), 65–69.

Mizutani, T., Morita, S., Tsuboi, T.
The Godbillon-Vey classes of codimension one foliations which are almost without holonomy, **113** (1981), 515–527.

Mok, N.
Uniqueness theorems of Hermitian metrics of seminegative curvature on quotients of bounded symmetric domains, **125** (1987), 105–152.
Compactification of complete Kähler surfaces of finite volume satisfying certain curvature conditions, **129** (1989), 383–425.

Mok, N. and Zhong, J.-Q.
Compactifying complete Kähler-Einstein manifolds of finite topological type and bounded curvature, **129** (1989), 427–470.

Montesinos, J. M.
See González-Acuña and Montesinos.

Montgomery, H. L. and Vaughan, R. C.
On the distribution of reduced residues, **123** (1986), 311–333.

Moore, J. C.
See Cohen et al.

Moore, J. D.
See Micallef and Moore.

Morava, J.
Noetherian localisations of categories of cobordism comodules, **121** (1985), 1–39.

Morgan, J. W. and Shalen, P. B.
Valuations, trees, and degenerations of hyperbolic structures,
Part I: **120** (1984), 401–476.
Degenerations of hyperbolic structures,
Part II: Measured laminations, trees, and 3-manifolds, **127** (1988), 403–456.
Part III: Actions of 3-manifold groups on trees and Thurston's compactness theorem, **127** (1988), 457–519.

Mori, S.
Projective manifolds with ample tangent bundle, **110** (1979), 593–606.
Threefolds whose canonical bundles are not numerically effective, **116** (1982), 133–176.
See Miyaoka and Mori.

Morita, S.
See Mizutani et al.

Moriyon, R.
See de la Llave et al.

Morrison, I. and Pinkham, H.
Galois Weierstrass points and Hurwitz characters, **124** (1986), 591–625.

Moscovici, H.
See Connes and Moscovici.

Mostow, G. D. and Siu, Y.-T.
A compact Kähler surface of negative curvature not covered by the ball, **112** (1980), 321–360.

Moy, A.
See Kutzko and Moy.

Muhly, P. S., Saito, K.-S., Solel, B.
Coordinates for triangular operator algebras, **127** (1988), 245–278.

Muller, D.
A restriction theorem for the Heisenberg group, **131** (1990), 567–587.

Müller, W.
The trace class conjecture in the theory of automorphic forms, **130** (1989), 473–529.

Murthy, M. P.
See Kumar and Murthy.

Nachman, A. I.
Reconstructions from boundary measurements, **128** (1988), 531–576.

Nadel, A. M.
The nonexistence of certain level structures on abelian varieties over complex function fields, **129** (1989), 161–178.
Semisimplicity of the group of biholomorphisms of the universal covering of a compact complex manifold with ample canonical bundle, **132** (1990), 193–211.
Multiplier ideal sheaves and Kähler-Einstein metrics of positive scalar curvature, **132** (1990), 549–596.

Nagel, A., Rosay, J. P., Stein, E. M., Wainger, S.
Estimates for the Bergman and Szegö kernels in $\mathbf{C}^2$, **129** (1989), 113–149.

Nagel, A., Rudin, W., Shapiro, J. H.
Tangential boundary behavior of functions in Dirichlet-type spaces, **116** (1982), 331–360.

Neeman, A.
The distribution of Weierstrass points on a compact Riemann surface, **120** (1984), 317–328.
The topology of quotient varieties, **122** (1985), 419–459.
Steins, affines and Hilbert's fourteenth problem, **127** (1988), 229–244.

Neisendorfer, J. A.
See Cohen et al.

Nevai, P. G.
See Máté and Nevai.

Newhouse, S. E.
Continuity properties of entropy, **129** (1989), 215–235.
Correction, **131** (1990), 215–235.

Niebur, D. and Sheingorn, M.
Characterization of Fuchsian groups whose integrable forms are bounded, **106** (1977), 239–258.

Norman, P. and Oort, F.
Moduli of abelian varieties, **112** (1980), 413–439.

Nygaard, N. O.
A p-adic proof of the non-existence of vector fields on $K3$ surfaces, **110** (1979), 515–528.

Nygaard, N. and Ogus, A.
Tate's conjecture for $K3$ surfaces of finite height, **122** (1985), 461–507.

Oberlin, D. M.
Random rearrangements of Fourier coefficients, **106** (1977), 259–268.

Oertel, U.
See Gabai and Oertel.

Ogus, A.
Griffiths transversality in crystalline cohomology, **108** (1978), 395–419.
See Nygaard and Ogus.

Okamoto, K.
See Kashiwara et al.

Oliver, R.
A proof of the Conner conjecture, **103** (1976), 637–644.
Weight systems for SO(3)-actions, **110** (1979), 227–241.

Oort, F.
See Norman and Oort.

Osborn, J. M.
See Benkart and Osborn.

Osgood, B., Phillips, R., Sarnak, P.
Moduli space, heights and isospectral sets of plane domains, **129** (1989), 293–362.

Oshima, T.
See Kashiwara and Oshima,
Kashiwara et al.

Osterwalder, K.
See Fröhlich et al.

Otal, J.-P.
Le spectre marqué des longeurs des surfaces à courbure negative, **131** (1990), 151–162.

Palis, J. and Takens, F.
Stability of parametrized families of gradient vector fields, **118** (1983), 383–421.
Hyperbolicity and the creation of homoclinic orbits, **125** (1987), 337–374.

Palmeira, C. F. B.
Open manifolds foliated by planes, **107** (1978), 109–131.

Palmore, J. I.
Measure of degenerate relative equilibria, I, **104** (1976), 421–429.

Pansu, P.
Métriques de Carnot-Carathéodory et quasi-isométries des espaces symétrique de rang un, **129** (1989), 1–60.

Parry, W. and Pollicott, M.
An analogue of the prime number theorem for closed orbits of Axiom A flows, **118** (1983), 573–591.

Penney, R. C.
Non-elliptic Laplace equations on nilpotent Lie groups, **119** (1984), 309–385.
The structure of rational homogeneous domains in $\mathbf{C}^n$, **126** (1987), 389–414.

Perry, P., Sigal, I. M., Simon, B.
Spectral analysis of N-body Schrödinger operators, **114** (1981), 519–567.

Persson, U. and Pinkham, H.
Degeneration of surfaces with trivial canonical bundle, **113** (1981), 45–66.

Petersen, P.
See Grove and Petersen.

Philippon, P.
A propos du texte de W. D. Brownawell: "Bounds for the degrees in the Nullstellensatz," **127** (1988), 367–371.

Phillips, R.
See Osgood et al.

Piatetski-Shapiro, I. I.
See Jacquet et al.

Pickel, P. F.
See Grunewald, Pickel, and Segal.

Pigno, L.
See McGehee et al.

Pinkall, U. and Sterling, I.
On the classification of constant mean curvature tori, **130** (1989), 407–451.

Pinkham, H.
See Morrison and Pinkham,
Persson and Pinkham.

Pisier, G.
Holomorphic semi-groups and the geometry of Banach spaces, **115** (1982), 375–392.

Pollicott, M.
The differential zeta function for Axiom A attractors, **131** (1990), 331–354.
See Parry and Pollicott.

Pomerance, C.
See Adelman et al.

Prasad, G.
Strong approximation for semi-simple groups over function fields, **105** (1977), 553–572.

Prasad, G. and Raghunathan, M. S.
Topological central extensions of semi-simple groups over local fields, I, II, **119** (1984), 143–268.

Preiss, D.
Geometry of measures in $\mathbf{R}^n$: Distribution, rectifiability, and densities, **125** (1987), 537–643.

Procesi, C. and Schacher, M.
A non-commutative real Nullstellensatz and Hilbert's 17^{th} problem, **104** (1976), 395–406.

Przytycki, F., Urbański, M., Zdunik, A.
Harmonic, Gibbs and Hausdorff measures on repellers for holomorphic maps, I, **130** (1989), 1–40.

Quinn, F.
Ends of maps, I, **110** (1979), 275–331.

Raghunathan, M. S.
See Prasad and Raghunathan.

Ramanathan, A.
See Mehta and Ramanathan.

Ran, Z.
Families of plane curves and their limits: Enriques' conjecture and beyond, **130** (1989), 121–157.

Range, R. M.
See Lieb and Range.

Ratner, M.
Rigidity of horocycle flows, **115** (1982), 597–614.
Horocycle flows, joinings, and rigidity of products, **118** (1983), 277–313.

Rauch, J. and Reed, M. C.
Propagation of singularities for semilinear hyperbolic equations in one space variable, **111** (1980), 531–552.

Rauch, J. and Wigner, D.
Global solvability of the Casimir operator, **103** (1976), 229–236.

Ravenel, D. C.
See Miller, Ravenel, and Wilson.

Reed, M. C.
See Rauch and Reed.

Reider, I.
Vector bundles of rank 2 and linear systems on algebraic surfaces, **127** (1988), 309–316.

Reimann, H. und Zink, T.
Der Dieudonnémodul einer polarisierten abelschen Mannigfaltigkeit vom CM-Typ, **128** (1988), 461–482.

Revuz, D.
See Brunel et Revuz.

Rickman, S.
A defect relation for quasimeromorphic mappings, **114** (1981), 165–191.

Ritter, N.
See Melrose and Ritter.

Riviere, N. M.
See Caffarelli and Riviere.

Robba, P.
See Bezivin and Robba.

Roberts, J. E.
See Doplicher and Roberts.

Rochberg, R.
See Coifman, Rochberg, and Weiss.

Rochberg, R. and Weiss, G.
Derivatives of analytic families of Banach spaces, **118** (1983), 315–347.

Rodman, L.
See Gohberg, Lancaster, and Rodman.

Roggenkamp, K. and Scott, L.
Isomorphisms of p-adic group rings, **126** (1987), 593–647.

Rojtman, A. A.
The torsion of the groups of 0-cycles modulo rational equivalence, **111** (1980), 553–569.

Rordam, M.
Advances in the theory of unitary rank and regular approximation, **128** (1988), 153–172.

Ros, A.
A characterization of seven compact Kaehler submanifolds by holomorphic pinching, **121** (1985), 377–382.

Rosay, J. P.
See Nagel et al.

Rosenberg, H.
Labyrinths in the disc and surfaces, **117** (1983), 1–33.

Rosenthal, H. P.
See Bourgain et al.

Rothaus, O. S.
On the non-triviality of some group extensions given by generators and relations, **106** (1977), 599–612.

Rothschild, L. P.
See Grigis and Rothschild.

Rubel, L. A.
See Becker, Henson, and Rubel.

Rubel, L. A., Squires, W. A., Taylor, B. A.
Irreducibility of certain entire functions with applications to harmonic analysis, **108** (1978), 553–567.

Rudin, W.
See Nagel et al.

Ruelle, D.
Characteristic exponents and invariant manifolds in Hilbert space, **115** (1982), 243–290.

Rumely, R. S.
See Adelman et al.

Sacerdote, G.
See Fried and Sacerdote.

Sacks, J. and Uhlenbeck, K.
The existence of minimal immersions of 2-spheres, **113** (1981), 1–24.

Sad, P.
See Camacho and Sad.

Saito, K.-S.
See Muhly et al.

Saito, S.
Unramified class field theory of schemes, **121** (1985), 251–281.
Arithmetic theory of arithmetic surfaces, **129** (1989), 547–589.
See Kato and Saito.

Salinas, N., Sheu, A., Upmeier, H.
Toeplitz operators on pseudoconvex domains and foliation C^*-algebras, **130** (1989), 531–565.

Sánchez-Calle, A.
See Fefferman and Sánchez-Calle.

Sansuc, J.-J.
See Beauville et al.

Saper, L. and Stern, M.
L_2-cohomology of arithmetic varieties, **132** (1990), 1–69.

Sarnak, P.
See Osgood et al.

Sato, F.
Zeta functions in several variables associated with prehomogeneous vector spaces, III: Eisenstein series for indefinite quadratic forms, **116** (1982), 177–212.

Schacher, M.
See Procesi and Schacher.

Schechtman, G.
See Bourgain et al.

Scheinberg, S.
Uniform approximation by functions analytic on a Riemann surface, **108** (1978), 257–298.

Scherer, K.
See DeVore and Scherer.

Schmid, W.
L^2-cohomology and the discrete series, **103** (1976), 375–394.
See Cattani et al.

Schoen, R.
See Anderson and Schoen.

Schoen, R. and Yau, S.-T.
Existence of incompressible minimal surfaces and the topology of three dimensional manifolds with non-negative scalar curvature, **110** (1979), 127–142.

Scott, L. L.
Matrices and cohomology, **105** (1977), 473–492.
See Roggenkamp and Scott.

Scott, P.
There are no fake Seifert fibre spaces with infinite π_1, **117** (1983), 35–70.

Segal, D.
See Grunewald, Pickel, and Segal,
Grunewald and Segal.

Segev, Y.
See Griess et al.

Seiler, E.
See Fröhlich et al.

Sen, S.
The analytic variation of p-adic Hodge structure, **127** (1988), 647–661.

Shah, J.
Insignificant limit singularities of surfaces and their mixed Hodge structure, **109** (1979), 497–536.
A complete moduli space for $K3$ surfaces of degree 2, **112** (1980), 485–510.

Shahidi, F.
On the Ramanujan conjecture and finiteness of poles for certain L-functions, **127** (1988), 547–584.
A proof of Langlands' conjecture on Plancherel measures; Complementary series for p-adic groups, **132** (1990), 273–330.

Shalen, P. B.
See Culler et al.,
Culler and Shalen,
Morgan and Shalen.

Shalika, J. A.
See Jacquet et al.

Shaneson, J. L.
See Cappell and Shaneson.

Shapiro, J. H.
The essential norm of a composition operator, **125** (1987), 375–404.
See Nagel et al.

Sharpley, R.
See Bennett et al.

Sheil-Small, T.
On the zeros of the derivatives of real entire functions and Wiman's conjecture, **129** (1989), 179–193.

Sheingorn, M.
See Niebur and Sheingorn.

Shelah, S.
See Foreman et al.

Sheu, A.
See Salinas et al.

Shields, A.
See Axler et al.

Shih, K.-Y.
Anti-holomorphic automorphisms of arithmetic automorphic function fields, **103** (1976), 81–102.
See Milne and Shih.

Shimura, G.
The arithmetic of automorphic forms with respect to a unitary group, **107** (1978), 569–605.
The arithmetic of certain zeta functions and automorphic forms on orthogonal groups, **111** (1980), 313–375.
On certain zeta functions attached to two Hilbert modular forms,
Part I: The case of Hecke characters, **114** (1981), 127–164.
Part II: The case of automorphic forms on a quaternion algebra, **114** (1981), 569–607.
On a class of nearly holomorphic automorphic forms, **123** (1986), 347–406.
Invariant differential operators on Hermitian symmetric spaces, **132** (1990), 237–272.

Shiohama, K.
See Grove and Shiohama.

Shult, E.
Disjoint triangular sets, **111** (1980), 67–94.

Sibony, N.
Problème de la couronne pour des domaines pseudoconvex à bord lisse, **126** (1987), 675–682.

Sibuya, Y. and Sperber, S.
Arithmetic properties of power series solutions of algebraic differential equations, **113** (1981), 111–157.

Sigal, I. M.
See Perry et al.

Sigal, I. M. and Soffer, A.
N-particle scattering problem: Asymptotic completeness for short-range systems, **126** (1987), 35–108.

Silberger, A. J.
Special representations of reductive *p*-adic groups are not integrable, **111** (1980), 571–587.

Simon, B.
Semiclassical analysis of low lying eigenvalues, II. Tunneling, **120** (1984), 89–118.
See Fröhlich and Simon,
Perry et al.

Simon, L.
Boundary regularity for solutions of the non-parametric least area problem, **103** (1976), 429–455.
Asymptotics for a class of non-linear evolution equations, with applications to geometric problems, **118** (1983), 525–571.
See Hardt and Simon,
Meeks et al.

Simpson, S. G.
First-order theory of the degrees of recursive unsolvability, **105** (1977), 121–139.

Singer, D.
See Gluck and Singer.

Singer, I. M.
See Atiyah et al.

Sinnott, W.
On the Stickelberger ideal and the circular units of a cyclotomic field, **108** (1978), 107–134.

Siu, Y.-T.
The complex analyticity of harmonic maps and the strong rigidity of compact Kähler manifolds, **112** (1980), 73–111.
The existence of Kähler-Einstein metrics on manifolds with positive anticanonical line bundle and a suitable finite symmetry group, **127** (1988), 585–627.
See Mostow and Siu.

Siu, Y.-T. and Yau, S.-T.
Complete Kähler manifolds with nonpositive curvature of faster than quadratic decay, **105** (1977), 225–264.
Errata, **109** (1979), 621–623.

Sjögren, P.
Admissible convergence of Poisson integrals in symmetric spaces, **124** (1986), 311–333.

Sjöstrand, J.
See Hanges and Sjöstrand.

Sloane, N. J. A.
See Conway and Sloane.

Smale, N.
Minimal hypersurfaces with many isolated singularities, **130** (1989), 603–642.

Smillie, J.
See Kerckhoff et al.

Smith, B.
See McGehee et al.

Smith, J. H.
See Devinatz, Hopkins, and Smith.

Smith, W.
See Craven et al.

Smorodinsky, M.
See Keane and Smorodinsky.

Soffer, A.
See Sigal and Soffer.

Sogge, C. D.
On the convergence of Riesz means on compact manifolds, **126** (1987), 439–447.

Solel, B.
See Muhly et al.

Solovay, R.
See Ketonen and Solovay.

Soria, F.
Examples and counterexamples to a conjecture in the theory of differentiation of integrals, **123** (1986), 1–9.

Soulé, C.
See Gillet and Soulé.

Spagnolo, S.
See Colombini et al.

Spatzier, R.
See Ballmann, Brin, and Spatzier.

Speiser, R.
See Hartshorne and Speiser.

Sperber, S.
See Adolphson and Sperber,
Sibuya and Sperber.

Spivakovsky, M.
Sandwiched singularities and desingularization of surfaces by normalized Nash transformations, **131** (1990), 411–491.

Spruck, J.
See Gulliver and Spruck.

Squires, W. A.
See Rubel, Squires, and Taylor.

Stallings, J. R.
Finiteness properties of matrix representations, **124** (1986), 334–343.

Stein, E. M.
Editor's note (*see* Jerison and Kenig, **113**): The differentiability of functions in $\mathbf{R}^n$, **113** (1981), 383–385.
See Nagel et al.

Stensønes, B.
A zero set for $A^\infty(D)$ of Hausdorff dimension $2n - 1$, **125** (1987), 645–659.

Stephenson, K.
Analytic functions sharing level curves and tracts, **123** (1986), 107–144.

Sterling, I.
See Pinkall and Sterling.

Stern, J.
On Lusin's restricted continuum problem, **120** (1984), 7–37.

Stern, M.
See Saper and Stern.

Stern, R. J.
See Fintushel and Stern,
Galewski and Stern.

Stolz, S.
See Kreck and Stolz.

Størmer, E.
See Høegh-Krohn et al.

Stout, E. L.
See Globevnik and Stout.

Strade, H.
The classification of the simple modular Lie algebras, I, Determination of the two-sections, **130** (1989), 643–677.

Stray, A.
Decomposition of approximable functions, **120** (1984), 225–235.

van Strien, S.
See de Melo and van Strien.

Strömberg, J.-O.
Maximal functions associated to rectangles with uniformly distributed directions, **107** (1978), 399–402.
Weak type L^1 estimates for maximal functions on noncompact symmetric spaces, **114** (1981), 115–126.

Strømme, S. A.
See Ellingsrud and Strømme.

Stroock, D. W.
See Holley and Stroock,
Kusuoka and Stroock.

Sullivan, D.
Quasiconformal homeomorphisms and dynamics, I, Solution of the Fatou-Julia problem on wandering domains, **122** (1985), 401–418.

Sunada, T.
Riemannian covering and isospectral manifolds, **121** (1985), 169–186.

Swan, R. G.
K-Theory of quadric hypersurfaces, **122** (1985), 113–153.

Sweet, M. M.
See Baum and Sweet.

Swinnerton-Dyer, P.
See Beauville et al.

Sylvester, J. and Uhlmann, G.
A global uniqueness theorem for an inverse boundary value problem, **125** (1987), 153–169.

Szczarba, R. H.
See Lee and Szczarba.

Takens, F.
See Palis and Takens.

Talagrand, M.
Espaces de Banach faiblement *K*-analytiques, **110** (1979), 407–438.

Tam, L.-F.
See Li and Tam.

Tanaka, M.
See Kashiwara et al.

Taylor, B. A.
See Rubel, Squires, and Taylor.

Taylor, J. E.
The structure of singularities in soap-bubble-like and soap-film-like minimal surfaces, **103** (1976), 489–539.
The structure of singularities in solutions to ellipsoidal variational problems with constraints in $\mathbf{R}^3$, **103** (1976), 541–546.

Taylor, M. J.
Relative Galois module structure of rings of integers and elliptic functions, II, **121** (1985), 519–535.

Tchamitchian, Ph.
Ondelettes et intégrale de Cauchy sur les courbes lipschitziennes, **129** (1989), 641–649.

Teissier, B.
Sur une inégalité à la Minkowski pour les multiplicités, **106** (1977), 38–44.
See Lê and Teissier.

Tenenblat, K. and Terng, C.-L.
Bäcklund's theorem for n-dimensional submanifolds of $\mathbf{R}^{2n-1}$, **111** (1980), 477–490.

Teng, Z.-H.
See Hsiang et al.

Terasoma, T.
Infinitesimal variation of Hodge structures and the weak global Torelli theorem for complete intersections, **132** (1990), 213–236.

Terng, C.-L.
A higher dimension generalization of the Sine-Gordon equation and its soliton theory, **111** (1980), 491–510.
See Tenenblat and Terng.

Thaine, F.
On the ideal class groups of real abelian number fields, **128** (1988), 1–18.

Thakur, D.
See Anderson and Thakur.

Thomas, M. P.
The image of a derivation is contained in the radical, **128** (1988), 435–460.

Thorbergsson, G.
See Ballmann et al.

Thurston, W. P.
Existence of codimension one foliations, **104** (1976), 249–268.
Hyperbolic structures on 3-manifolds, I: Deformation of acylindrical manifolds, **124** (1986), 203–246.
See Almgren and Thurston.

Timmesfeld, F.
Finite simple groups in which the generalized Fitting group of the centralizer of some involution is extraspecial, **107** (1978), 297–369.
Correction, **109** (1979), 413–414.

Toledo, D. and Tong, Y. L. L.
Duality and intersection theory in complex manifolds, II, The holomorphic Lefschetz formula, **108** (1978), 519–538.

Tong, Y. L. L.
See Toledo and Tong.

Treves, F.
Study of a model in the theory of complexes of pseudodifferential operators, **104** (1976), 269–324.
Erratum, **113** (1981), 423.
See Baouendi and Treves.

Tromba, A. J.
See Böhme and Tromba.

Tsuboi, T.
On the foliated products of class C^1, **130** (1989), 227–271.
See Mizutani et al.

Tukia, P. and Väisälä, J.
Quasiconformal extension from dimension n to $n + 1$, **115** (1982), 331–348.

Uchida, K.
Isomorphisms of Galois groups of algebraic function fields, **106** (1977), 589–598.

Uhlenbeck, K.
See Sacks and Uhlenbeck.

Uhlmann, G.
See Sylvester and Uhlmann.

Ulrich, B.
See Huneke and Ulrich.

Upmeier, H.
Toeplitz C^*-algebras on bounded symmetric domains, **119** (1984), 549–576.
See Salinas et al.

Urbański, M.
See Przytycki et al.

Väisälä, J.
See Tukia and Väisälä.

Vaughan, R. C.
See Montgomery and Vaughan.

Veech, W. A.
Gauss measures for transformations on the space of interval exchange maps, **115** (1982), 201–242.
The Teichmüller geodesic flow, **124** (1986), 441–530.

Vergne, M.
A Poisson-Plancherel formula for semi-simple Lie groups, **115** (1982), 639–666.

Vignéras, M.-F.
Variétés riemanniennes isospectrales et non isométriques, **112** (1980), 21–32.

Vogan, D. A., Jr.
The algebraic structure of the representations of semisimple Lie groups, I, **109** (1979), 1–60.
Unitarizability of certain series of representations, **120** (1984), 141–187.
See Barbasch and Vogan.

Vogt, E.
See Epstein and Vogt.

Wahl, J. M.
Equisingular deformations of normal surface singularities, I, **104** (1976), 325–356.

Wainger, S.
See Bruna et al.,
Nagel et al.

Waldhausen, F.
Algebraic K-theory of generalized free products, I, II, **108** (1978), 135–256.

Waldschmidt, M.
Sous-groupes analytiques de groupes algébriques, **117** (1983), 627–657.

Wall, C. T. C.
Classification of hermitian forms, VI, Group rings, **103** (1976), 1–80.

Wallach, N. R.
See DeGeorge and Wallach.

Washington, L. C.
See Ferrero and Washington.

Wasserman, W.
Ergodic actions of compact groups on operator algebras, I, General theory, **130** (1989), 273–319.

Weinstein, A.
Periodic orbits for convex Hamiltonian systems, **108** (1978), 507–518.

Weisfeiler, B.
Strong approximation for Zariski-dense subgroups of semisimple algebraic groups, **120** (1984), 271–315.

Weiss, A.
p-adic rigidity of p-torsion, **127** (1988), 317–332.

Weiss, G.
See Coifman, Rochberg, and Weiss,
Rochberg and Weiss.

Weiss, R.
On a theorem of Goldschmidt, **126** (1987), 429–438.

Weit, Y.
On the one-sided Wiener's Theorem for the motion group, **111** (1980), 415–422.

Weitsman, A.
Symmetrization and the Poincaré metric, **124** (1986), 159–169.

Wells, R. O., Jr., and Wolf, J. A.
Poincaré series and automorphic cohomology on flag domains, **105** (1977), 397–448.

Welters, G. E.
A criterion for Jacobi varieties, **120** (1984), 497–504.

Wenzl, H.
On the structure of Brauer's centralizer algebras, **128** (1988), 173–193.

West, J. E.
Mapping Hilbert cube manifolds to ANR's, **106** (1977), 1–18.

White, B.
Existence of least-area mappings of N-dimensional domains, **118** (1983), 179–185.
Generic regularity of unoriented two-dimensional area minimizing surfaces, **121** (1985), 595–603.
Correction, **124** (1986), 400.

Wigner, D.
See Rauch and Wigner.

Wiles, A.
Higher explicit reciprocity laws, **107** (1978), 235–254.
On p-adic representations for totally real fields, **123** (1986), 407–456.
The Iwasawa conjecture for totally real fields, **131** (1990), 493–540.
On a conjecture of Brumer, **131** (1990), 555–565.

Wilkerson, C. W.
See Adams and Wilkerson,
Dwyer and Wilkerson.

Wilson, R. L.
See Block and Wilson.

Wilson, W. S.
See Miller, Ravenel, and Wilson.

Wintenberger, J.-P.
Un scindage de la filtration de Hodge pour certaines variétés algébriques sur les corps locaux, **119** (1984), 511–548.

Wodzicki, M.
Excision in cyclic homology and in rational algebraic K-theory, **129** (1989), 591–639.

Wogen, W. R.
Some counterexamples in nonselfadjoint algebras, **126** (1987), 415–427.

Wojtaszczyk, P.
Hardy spaces on the complex ball are isomorphic to Hardy spaces on the disc, $1 \leq p < \infty$, **118** (1983), 21–34.
Note, **125** (1987), 661.

Wolf, J. A.
Completeness of Poincaré series for automorphic cohomology, **109** (1979), 545–567.
See Wells and Wolf.

Wolfson, J. G.
See Chern and Wolfson.

Wolpert, S.
The length spectrum as moduli for compact Riemann surfaces, **109** (1979), 323–351.
The Fenchel-Nielsen twist deformation, **115** (1982), 501–528.
On the symplectic geometry of deformations of a hyperbolic surface, **117** (1983), 207–234.
On the homology of the moduli space of stable curves, **118** (1983), 491–523.

Wüstholz, G.
Multiplicity estimates on group varieties, **129** (1989), 471–500.
Algebraische Punkte auf analytischen Untergruppen algebraicher Gruppen, **129** (1989), 501–517.

Xavier, F.
The Gauss map of a complete non-flat minimal surface cannot omit 7 points of the sphere, **113** (1981), 211–214.
Erratum, **115** (1982), 667.
See Jorge and Xavier.

Yager, R. I.
On the two variable p-adic L-functions, **115** (1982), 411–449.

Yau, S. S.-T.
Kohn-Rossi cohomology and its application to the complex Plateau problem, I, **113** (1981), 67–110.

Yau, S.-T.
See Cheng and Yau,
Meeks and Yau,
Meeks et al.,

Schoen and Yau,
Siu and Yau.

Yoshida, H.
Abelian varieties with complex multiplication and representations of the Weil groups, **114** (1981), 87–102.

Young, L.-S.
See Ledrappier and Young.

Yu, W.-C.
See Hsiang et al.

Zafran, M.
The spectra of multiplier transformations on the L_p spaces, **103** (1976), 355–374.
The dichotomy problem for homogeneous Banach algebras, **108** (1978), 97–105.

Zdunik, A.
See Przytycki et al.

Zhong, J.-Q.
See Mok and Zhong.

Ziller, W.
See Ballmann et al.

Zimmer, R. J.
Orbit spaces of unitary representations, ergodic theory, and simple Lie groups, **106** (1977), 573–588.
Strong rigidity for ergodic actions of semisimple Lie groups, **112** (1980), 511–529.
Ergodic actions of semisimple groups and product relations, **118** (1983), 9–19.

Zink, T.
See Reimann und Zink.

Zucker, S.
Hodge theory with degenerating coefficients, I, **109** (1979), 415–476.

Zuckerman, G. J.
Tensor products of finite and infinite dimensional representations of semisimple Lie groups, **106** (1977), 295–308.
Continuous cohomology and unitary representations of real reductive groups, **107** (1978), 495–516.
See Knapp and Zuckerman.